


# e.sybox



## ELECTRONIC WATER PRESSURE SYSTEM



WATER • TECHNOLOGY




# e.sybox

We conceived e.sybox according to our idea of ergonomic technology\* and we have developed it enclosing and expressing all the DAB technological know-how based on 37 years of experience in the mechanics and electronics sector.

A new **PATENTED** milestone of DAB evolution.

The result is a system, the only one of its kind, efficient, compact, easy to use and satisfactory for the installer as well as the final user.

Thanks to these features, the e.sybox is the most evolved ergonomic system in the world in the field of water pressurization for domestic and residential use.



## PRODUCT EVOLUTION

JET

AQUAJET

SMART PRESS

ACTIVE EI

EUROINOX AD



# ERGONOMIC TECHNOLOGY



product  
design award

2013



e.sybox

\*Ergonomic technology is characterised by a high level of usability, which may be expressed by means of the following dimensions:


- the ease of installation
- the ease of learning to operate the system
- a satisfactory use



see more about e.sybox  
[www.dabpumps.com/e.sybox](http://www.dabpumps.com/e.sybox)









# e.sybox

e.sybox is, first of all, an integrated electronic system equipped with inverter technology; each component has been developed to give maximum performance with minimum effort, bringing innovation to the service of simplicity.

All this is enclosed inside a “case” with its typical Italian design.



■ FULL SPEED      ■ 4 BAR SET POINT  
■ DEFAULT SET POINT    ■ 2,5 BAR SET POINT



ENERGY SAVING GRAPH



## INVERTER ELECTRONIC BOARD

Thanks to the Inverter technology, e.sybox draws the energy necessary according to the water requirements, thereby avoiding futile wastes and allowing considerable economic savings.



## SENSORS

The new compact electronic pressure transducer with built-in temperature sensor developed by DAB, together with the flow sensor, both positioned on the pump delivery, send the necessary signals to the board for proper control of the system.



## INTERNAL HYDRAULIC CONNECTIONS

Designed to minimise the dimensions, ensure compactness of the system and make maintenance easy.



## EXPANSION TANK

Integrated in the system, it has a 2-litre capacity and is certified for drinking water. Comes with a 5-year guarantee, no maintenance required.

# EFFICIENT AND INTEGRATED




product  
design award

2013



see more about **e.sybox**  
[www.dabpumps.com/e.sybox](http://www.dabpumps.com/e.sybox)





# e.sybox


The features and design of the e.sybox make the system easily adaptable to any type of installation.

Horizontal or Vertical, in a ventilated room or in a recess, any setting will be perfect for making the best possible use of the e.sybox, which ensures a reduction of at least 30% of the dimensions as compared to any other traditional system.

## VERTICAL INSTALLATION



## HORIZONTAL INSTALLATION



### EXTERNAL CONNECTIONS

Covered with caps fitted with gasket. Easy to remove, the suction and delivery of the system to be used can be easily selected, depending on the installation.



### DISPLAY

LCD 70x40 mm high-resolution adjustable for easy reading in the various installations. The user-friendly interface makes it possible to access all the information and customise the main settings according to the specificity of the application.



### TECHNICAL COMPARTMENT

Allows easy access to the rotor shaft, vertical filling plug and expansion tank. It is also a practical housing for the maintenance tools and user's guide, functional for using the system.

# COMPACT AND VERSATILE



product  
design award

2013



## MOTOR

New water-cooled motor highly resistant to corrosion. Makes it possible to install the system in a recess.




## CHECK VALVE AT THE DELIVERY

Allows horizontal as well as vertical installation of the system. It can be easily removed to facilitate maintenance



## PROTECTION OF THE WATER IN THE SYSTEM FROM FREEZING (ANTI FREEZE)

e.sybox is provided with a protection device which prevents the formation of ice inside, by activating the pump in case the temperature falls below values approaching freezing point.



# e.sybox


Every detail of the e.sybox is carefully designed to ensure the levels of comfort which fix new reference standards for the sector.

Just connect the e.sybox to the power socket to have all the water required, when it is required.

The noise perceived as well the vibrations are reduced to the minimum and the system is whisper-silent only 45 dB in standard use.



**45 dB** 

 **3 Bar**  
**12 l/min**



#### HYDRAULICS

Multi-stage self-priming up to 8 m.



#### MOTOR

The new water-cooled motor eliminates noise generated by the traditional cooling fans.



#### INVERTER

The new variable-speed electronics ensures constant pressure in relation to the flow rate. The systems with inverter technology make less noise compared to the traditional on/off systems because they regulate the motor rpm according to requirements and are also equipped with gradual start-up and switch off.



# SILENT AND COMFORTABLE



product  
design award

2013



## ENCLOSURES

Made of ABS material, enclose the system, with protective and sound-proofing function.



## ANTIVIBRATION FEET

Ensure effective absorption of vibrations, making the e.sybox even more silent and comfortable. They are designed for horizontal and vertical installation of the system

see more about **e.sybox**  
[www.dabpumps.com/e.sybox](http://www.dabpumps.com/e.sybox)



# e.sybox





**DAB PUMPS LTD.**

Unit 4 and 5, Stortford Hall Industrial Park  
Dunmow Road, Bishops Stortford, Herts  
CM23 5GZ - UK  
[salesuk@dwtgroup.com](mailto:salesuk@dwtgroup.com)  
Tel. +44 1279 652 776  
Fax +44 1279 657 727

**DAB PUMPS B.V.**

Brusselstraat 150  
B-1702 Groot-Bijgaarden - Belgium  
[info.belgium@dwtgroup.com](mailto:info.belgium@dwtgroup.com)  
Tel. +32 2 4668353  
Fax +32 2 4669218

**PUMPS AMERICA, INC. DAB PUMPS DIVISION**

3226 Benchmark Drive  
Ladson, SC 29456 USA  
[info.usa@dwtgroup.com](mailto:info.usa@dwtgroup.com)  
Tel. 1-843-824-6332  
Toll Free 1-866-896-4DAB (4322)  
Fax 1-843-797-3366

**OOO DWT GROUP**

100 bldg. 3 Dmitrovskoe highway  
127247 Moscow - Russia  
[info.russia@dwtgroup.com](mailto:info.russia@dwtgroup.com)  
Tel. +7 495 739 52 50  
Fax +7 495 485-3618

**DWT South Africa**

Landmark Office Park (East Block) - 4th Floor  
17 Umgazi Road - Menlo Park - 0081 South Africa  
[info.sa@dwtgroup.com](mailto:info.sa@dwtgroup.com)  
Tel. +27 861 666 687  
Fax +27 346 1351

**DAB PUMPS B.V.**

Albert Einsteinweg, 4  
5151 DL Drunen - Nederland  
[info.netherlands@dwtgroup.com](mailto:info.netherlands@dwtgroup.com)  
Tel. +31 416 387280  
Fax +31 416 387299

**DAB PUMPEN DEUTSCHLAND GmbH**

Tackweg 11  
D - 47918 Tönisvorst - Germany  
[info.germany@dwtgroup.com](mailto:info.germany@dwtgroup.com)  
Tel. +49 2151 82136-0  
Fax +49 2151 82136-36

**DAB PUMPS IBERICA S.L.**

Parque Empresarial San Fernando  
Edificio Italia Planta 1ª  
28830 - San Fernando De Henares - Madrid  
Spain  
[info.spain@dwtgroup.com](mailto:info.spain@dwtgroup.com)  
Tel. +34 91 6569545  
Fax: +34 91 6569676

**DAB PUMPS CHINA**

No.40 Kaituo Road, Qingdao Economic & Technological  
Development Zone  
Qingdao City, Shandong Province, China  
PC: 266500  
[info.china@dwtgroup.com](mailto:info.china@dwtgroup.com)  
Fax +8653286812210  
Tel. +8653286812030-6270